

**Table 1****Adult DMFT (Decayed Missing Filled Teeth) for each Australian state and territory**  
(1 DMFT = 1 affected tooth; 12.8 DMFT = 12.8 affected teeth)**Figures (not Table) sourced from 8 individual state and territory reports**  
**(See page 38 of each 96-page pdf report)****The National Survey of Adult Oral Health 2004-06: State and territory reports (August 2008)**

Available via the following link:

[www.arcpoh.adelaide.edu.au/publications/report/statistics/html\\_files/Adult\\_survey04-06.html](http://www.arcpoh.adelaide.edu.au/publications/report/statistics/html_files/Adult_survey04-06.html)

State/ Territory	Percentage State/Territory Fluoridated	DMFT Australian Average	DMFT State/Territory Average	DMFT 15-34 Years	DMFT 35-44 Years	DMFT 55 Years and more
		12.8				
ACT	100%		11.0	2.6	12.9	22.7
NSW	92%		12.8	4.4	13.9	22.7
NT	70%		10.7	5.0	12.7	22.1
QLD	<5%		13.1	5.0	14.6	23.1
SA	90%		12.7	4.1	14.0	22.1
TAS	83%		13.4	4.9	14.1	23.4
VIC	77%		12.8	4.4	15.1	22.5
WA	92%		13.1	5.4	14.5	22.7

**Table 2****Complete tooth loss for each Australian State and Territory 2004-2006****Figures/comments (not Table) sourced from 8 individual state and territory reports**  
**(See page 24 of each individual 96-page report)****The National Survey of Adult Oral Health 2004-06: State and territory reports (August 2008)**

Available via the following link:

[http://www.arcpoh.adelaide.edu.au/publications/report/statistics/html\\_files/Adult\\_survey04-06.html](http://www.arcpoh.adelaide.edu.au/publications/report/statistics/html_files/Adult_survey04-06.html)

State/ Territory	Percentage State/Territory Fluoridated	National Average	15 Years or more	15-34 Years	<55 Years	55 Years or more
		6.4%				
ACT	100%		2.8%		negligible	11.1%
NSW	92%		5.5%	negligible		10.6%
NT	70%		2.4%	negligible		12.1%
QLD	<5%		5.8%	negligible		18.5%
SA	90%		8.2%	negligible		23.4%
TAS	83%		10% significantly greater than national estimate of 6.4%			23.4%
VIC	77%		8%	negligible		24.8%
WA	92%		5.6	negligible		17.5%

